

AMENDMENT TO THE CLAIMS

1. (Original) An umbrella having a sprinkler device, comprising:

an umbrella body comprising

a plurality of upper spokes;

a plurality of lower spokes;

an upper spoke holder;

a lower spoke holder; and

a shaft portion;

a sprinkler device comprising:

a multi-link nozzle;

a main hose;

at least one tube; and

at least one spout;

wherein one end of each said upper spoke being engaged with said upper spoke holder such that said upper spokes being radially disposed respectively, one end of each said lower spoke being engaged with said lower spoke holder such that said lower spokes being radially disposed respectively, said lower spoke holder being movable and fixated on said shaft portion, the other end of each said lower spoke being supporting the corresponding said upper spoke, one end of said main hose of said sprinkler device being connected to a primary nozzle of said multi-link nozzle, one end of said tube being connected to a secondary nozzle of said multi-link nozzle, the other end of said tube being connected to said spout, said multi-link nozzle being located in said upper

spoke holder, said main hose being located in said shaft portion, said tube being located in said upper spoke, and said spout being disposed at said upper spoke.

2. (Original) The umbrella having a sprinkler device as in claim 1, wherein said shaft portion is a single shaft.

3. (Original) The umbrella having a sprinkler device as in claim 1, wherein said main hose is a single hose.

4. (Original) The umbrella having a sprinkler device as in claim 1, wherein said shaft portion can further be formed by an upper shaft portion and a lower shaft portion, and said main hose disposed therein can also be formed by serially connecting an upper main hose and a lower main hose.

5. (Original) The umbrella having a sprinkler device as in claim 1, wherein each said spout is disposed at the end portion of each said corresponding upper spoke.

6. (Original) The umbrella having a sprinkler device as in claim 1, wherein each said spout is disposed at the jointing portion of each said corresponding upper spoke and said corresponding lower spoke.

7. (Currently Amended) The umbrella having a sprinkler device as in claim 1, wherein ~~each said spout is~~ some of the at least one spout are disposed at the end portion of

each said corresponding upper spoke and others of the at least one spout are disposed at the jointing portion of each said corresponding upper spoke and said corresponding lower spoke.

8. (Original) The umbrella having a sprinkler device as in claim 1, wherein each said spout is further disposed with an adjusting mechanism for adjusting the angle of said spout.

9. (Original) The umbrella having a sprinkler device as in claim 1, wherein said main hose is connected with an inlet nozzle.